

24-MAY-2002

**ARREST DRY**

Systemic turf fungicide containing Arrest 75W in a ready to apply mixture.

Controls pink snow mold (*Fusarium nivale*), grey snow mold (*Typhula spp.*) and low temperature basidiomycetes on golf greens, tees and fairways, bowling greens, turf farms, fine turf areas and lawns.

**COMMERCIAL**

Guarantee: Carbathiin.....1.26%  
Oxycarboxin.....0.31%  
Thiram..... 3.15%

Registration No. 27117 Pest Control Products Act

READ THE LABEL BEFORE USING

MADE IN CANADA

Net Contents: 25 kg

Crompton Co./Cie  
25 Erb St.  
Elmira, ON N3B 3A3

24 Hour Emergency  
Phone: (519) 744-3060

**General Information:** Arrest Dry contains two systemic fungicides ( Vitavax and Plantvax) plus a contact fungicide (thiram). Arrest Dry is a versatile and easy to use fungicide for the control of pink snow mold (*Fusarium nivale*), grey snow mold (*Typhula spp.*) and low temperature basidiomycetes on golf greens, tees and fairways, bowling greens, turf farms, parks, fine turf areas and lawns.

Arrest Dry is absorbed by the turf (through root system and leaves) to provide complete systemic protection throughout the disease development period. The combination of systemic and contact activity makes Arrest Dry is an excellent preventative and curative fungicide.

Arrest Dry is applied in the late fall before snow cover. Under normal conditions one application of Arrest Dry at recommended rates should provide excellent control. Heavy precipitation immediately following application or prolonged mid-winter thaws may reduce the effectiveness of Arrest Dry. In either situation a second application may be desirable to obtain complete control.

**Directions for Use:**

Apply Arrest Dry at a rate of 5 kg of product per 100m<sup>2</sup>. One 25 kg bag will cover 500m<sup>2</sup>.

Uniform application with a mechanical spreader is essential for complete control. Arrest Dry is applied in the late fall before snow cover. Under normal conditions one application of Arrest Dry at recommended rates should provide excellent control. Heavy precipitation immediately following application or prolonged mid-winter thaws may reduce the effectiveness of Arrest Dry. In either situation a second application may be desirable to obtain complete control.

**PRECAUTIONS:**

1. KEEP OUT OF REACH OF CHILDREN
2. Do not take internally.
3. Avoid breathing dust and contact with eyes and skin. Wear coveralls over regular work clothing, chemical-resistant gloves, protective eyewear and dust mask when handling, mixing, loading, cleanup and repair. Applicators should wear long-sleeved shirt, long pants and chemical resistant gloves.
4. Work clothing should be washed with detergent and hot water. Wash work clothing separately from other laundry.
5. Because of possible unpleasant side effects, alcoholic beverages should be avoided for 24 hours before or after working with Arrest Dry.
6. Do not contaminate feed and foodstuffs.
7. Do not contaminate ponds, lakes and streams with product or with wash-waters when cleaning applicator equipment.
8. Apply only to areas specified on this label.

**First Aid:**

**If in Eyes:** Immediately flush with plenty of water for at least 15 minutes. Get immediate medical attention.

**If on Skin:** Wash thoroughly with soap and water. Remove contaminated clothing and wash before reuse. Get medical attention if irritation persists or dermatitis develops.

**If Inhaled:** Remove to fresh air. Aid or restore breathing if necessary. Get medical attention.

**If Ingested:** If conscious, give 1-2 glasses of water and induce vomiting. Contact a Poison Control Center or seek medical attention immediately. Do NOT give milk, oils or fats which enhance absorption. Do NOT give anything by mouth if person is unconscious.

Take container, label or product name and Pest Control Product Number with you when seeking medical attention.

**Toxicological Information:**

Note to Physicians: There is no specific antidote. If swallowed induce vomiting with SYRUP of IPECAC or INTUBATE the stomach. Alcohol intake within 24 hours of contact with Thiram may cause flushing, sweating, headaches and nausea. If reaction with alcohol occurs, treat as disulfiram-alcohol reaction.

**Storage and Disposal:**

STORAGE: Store product in original container away from food or feed. Keep container closed and store in a dry place

DISPOSAL:

1. Follow provincial instructions for any required cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

**NOTICE TO USER:**

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

**NOTICE TO BUYER:**

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Print ID# T0825B

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+) )